

Please type a plus sign (+) inside this box → ☐
 PTO/SB/05 (12/97) (modified)  
 Approved for use through 09/30/00, OMB 0651-0032  
 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

**UTILITY  
PATENT APPLICATION  
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.51(b))

Attorney Docket No. 39303-20145.00

Total Pages 25

First Named Inventor or Application Identifier

Yukio TADA

Express Mail Label No. EL591114715US

**CERTIFICATE OF MAILING BY "EXPRESS MAIL"**

Express Mail Label No.: EL591114715US

Date of Deposit: June 28, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Address" sent under 37 C.F.R. § 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

 Marsha K. Reynolds  
 Marsha K. Reynolds
**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

 Assistant Commissioner for Patents  
 Box Patent Application  
 Washington, DC 20231

1. ☒ Fee Transmittal Form  
 (Submit an original, and a duplicate for fee processing)  
 Specification [Total Pages 17 ]
2. ☒ Specification [Total Pages 17 ]  
 (preferred arrangement set forth below)  
 - Descriptive title of the Invention  
 - Cross References to Related Applications  
 - Statement Regarding Fed sponsored R & D  
 - Reference to Microfiche Appendix  
 - Background of the Invention  
 - Brief Summary of the Invention  
 - Brief Description of the Drawings (if filed)  
 - Detailed Description  
 - Claim(s)  
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) [Total Sheets 4 ]
4. ☐ Oath or Declaration [Total Pages ]
- a. ☐ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 CFR 1.63(d)  
 (for continuation/divisional with Box 17 completed)  
 [Note Box 5 below]
- i. ☐ DELETION OF INVENTOR(S)  
 Signed statement attached deleting inventor(s) named in  
 the prior application, see 37 CFR 1.63(d)(2) and 1.33(b)
5. ☐ Incorporation By Reference (useable if Box 4b is checked)  
 The entire disclosure of the prior application, from which a copy of the  
 oath or declaration is supplied under Box 4b, is considered as being  
 part of the disclosure of the accompanying application and is hereby  
 incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission  
 (if applicable, all necessary)
- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies

**ACCOMPANYING APPLICATION PARTS**

8. ☐ Assignment Papers (cover sheet & document(s)) to  
 YAMAHA CORPORATION, A CORPORATION OF JAPAN WILL  
 FOLLOW
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney  
 (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure  
 Statement (IDS)/PTO-1449 ☐ Copies of IDS  
 Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)  
 (Should be specifically itemized)
14. ☐ Small Entity ☐ Statement filed in prior application,  
 Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)  
 (if foreign priority is claimed) of  
 Japanese Appln. No. 11-182142, filed  
 6/28/99 WILL FOLLOW
16. ☐

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No:
**18. CORRESPONDENCE ADDRESS**
 David L. Fehman  
 Registration No. 28,600  
 Morrison & Foerster LLP  
 555 West Fifth Street, Suite 3500  
 Los Angeles, California 90013-1024  
 Telephone: (213) 892-5601  
 Facsimile: (213) 892-5454

- ☒ If a paper is untimely filed in the above-referenced application by applicant or his/her representative, the Assistant Commissioner is hereby petitioned under 37 C.F.R. § 1.136(a) for the minimum extension of time required to make said paper timely. In the event a petition for extension of time is made under the provisions of this paragraph, the Assistant Commissioner is hereby requested to charge any fee required under 37 C.F.R. § 1.17(a)-(d) to **Deposit Account No. 03-1952**. However, the Assistant Commissioner is **NOT** authorized to charge the cost of the issue fee to the Deposit Account.

The filing fee has been calculated as follows:


FOR	NUMBER FILED	NUMBER EXTRA	RATE	CALCULATIONS
TOTAL CLAIMS	5 - 20 =	0	x \$18.00	\$
INDEPENDENT CLAIMS	2 - 3 =	0	x \$78.00	\$
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$260.00	\$
			BASIC FEE	\$690.00
TOTAL OF ABOVE CALCULATIONS =				\$690.00
Reduction by 1/2 for filing by small entity (Note 37 C.F.R. §§ 1.9, 1.27, 1.28). If applicable, verified statement must be attached.				\$
Assignment Recording Fee (if enclosed)				\$
			TOTAL =	\$690.00

- ☒ A check in the amount of \$690.00 is attached.
- ☐ Charge \$690.00 \_\_\_ to **Deposit Account No. 03-1952** referencing docket no. 39303-20145.00.

Applicant(s) hereby petitions for any required relief including extensions of time and authorizes the Assistant Commissioner to charge the cost of such petitions and/or other fees or to credit any overpayment to **Deposit Account No. 03-1952** referencing docket no. 39303-20145.00. A duplicate copy of this transmittal is enclosed, for that purpose.

Dated: June 28, 2000

Respectfully submitted,

By:   
David L. Fehrman  
Registration No. 28,600

Morrison & Foerster LLP  
555 West Fifth Street, Suite 3500  
Los Angeles, California 90013-1024  
Telephone: (213) 892-5601  
Facsimile: (213) 892-5454

TITLE OF THE INVENTION

DOWNLOAD SYSTEM, DOWNLOAD CONTROL METHOD,  
AND STORAGE MEDIUM FOR PORTABLE PLAYERS

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates to a download system, download control method, and storage medium for portable players, which are suitable for downloading music data to portable players including storage media.

10 Prior Art

A portable player is generally used, which has a flash EEPROM inside as a storage medium, which has a storage capacity of about 32 or 64 Mbytes to store music data. By regenerating the stored music data, a user  
15 listens to corresponding music via headphones or the like. Such a portable player is generally called an "MP3 portable player" because the compressed storage method based on the MPEG Audio Layer 3 is used to store music data in the flash EEPROM.

20 Then, downloading carried out by a portable player according to the prior art will be described with reference to FIG. 4.

Reference numeral 1 denotes an MP3 portable player acting as a portable player and which has a flash EEPROM (Electrically Erasable Programmable Read Only  
25 Memory) 2 inside as a storage medium.

Reference numeral 3 denotes a table on which the portable player 1 is placed and which has an accommodating recess 3A formed therein for accommodating  
30 the portable player 1. The accommodating recess 3A has

a terminal, not shown, for outputting music data to the portable player 1. In addition, the table 3 has connected thereto an interface 12 (hereafter referred to as "the I/F 12") of a personal computer 4, described later. After the portable player 1 has been placed on the table 3, the personal computer 4 is operated to download music data stored in an HDD 9 of the personal computer 4, to the flash EEP-ROM 2 of the portable player 1.

The personal computer 4 has a CPU 5 for controlling the entire personal computer, a ROM 7 that stores a control program and data which are used by the CPU 5 to control components which are connected to the CPU 5 via a bus 6, and a RAM 8 for storing various data and results of arithmetic operations. In addition, the personal computer 4 has a hard disc drive 9 (hereafter referred to as "HDD 9") that stores music data, a panel interface 10 (hereafter referred to as "the panel I/F 10") composed, for example, of a keyboard for inputting a command signal to the CPU 5, an MPEG encoder 11 that operates when music data stored in the HDD 9 are downloaded to the flash EEP-ROM 2 of the portable player 1, to encode the music data into MPEG codes, the I/F 12 for connecting the personal computer 4 to the table 3, and an interface 14 (hereafter referred to as "the I/F 14") for connecting the personal computer 4 to a CD player 13.

Next, an operation will be described, which is performed when a user stores music data in the flash EEP-ROM 2 of the portable player 1.

First, when the user uses the personal computer 4 to store his favorite music data in the HDD 9 from a compact disc (CD) or the like, the stored music data is encoded by the MPEG encoder 11, and the encoded data is downloaded to the flash EEP-ROM 2 of the portable player

1 via the table 3. Thus, by carrying only the portable player 1, the user can listen to his favorite music anywhere.

With the above portable player 1 according to the prior art, the user must store music data in the HDD 9 of his personal computer 4 from a CD. Disadvantageously, this operation requires a large amount of time and is cumbersome.

In addition, according to the prior art, to download music data to the portable player 1, the user must prepare a required CD or the like for each downloading operation. Disadvantageously, for CDs that are not easily available, music data cannot be easily downloaded to the portable player.

#### SUMMARY OF THE INVENTION

It is an object of the present invention to provide a download system and a download control method for portable players, which enable a user to download music data to the portable player by a simple operation, and a storage medium that stores a program for executing the download control method.

To attain the above object, the present invention provides a download system for a portable player, comprising a portable player including a storage medium that stores music data having type data, a download device that downloads previously stored music data to the storage medium of the portable player, and a center station that transmits music data having type data to the download device.

In a preferred form of the download system according to the present invention, the download device comprises a table on which the portable player is placed when music data is downloaded to the portable player, a

reception device that receives the music data having the type data transmitted from the center station, an input device that inputs type data of desired music required by a user, a data memory device that stores the music data transmitted from the center station, and a control device that operates based on the type data of the music data received by the reception device, the type data of the music data previously stored in the storage medium of the portable player, and the type data input by the input device, to control selection of the music data from the center station, storage of the selected music data in the data memory device, and downloading of the music data to the storage medium of the portable player.

In a further preferred form of the download system according to the present invention, the control device comprises a known type data read-in device that reads in, as known type data, the type data of the music data stored in the storage medium of the portable player when the portable player is placed on the table, a desired type read-in device that reads in, as desired type data, the type data input by the user using the input device, a new type data read-in device that reads in, as new type data, the type data of the music data received by the reception device, a determination device that determines whether or not the desired type data is equal to the new type data and the new type data is different from the known type data, a data storing device that stores the music data transmitted from the center station in the data memory device when the determination device determines that the desired type data is equal to the new type data and the new type data is different from the known type data, a downloading device that downloadsthe the music data stored in the data memory device by the data storage device to the storage medium of the portable player, and a type data rewrite device

that rewrites the new type data as known type data.

Preferably, the storage medium of the portable player comprises a writable ROM, and wherein the download device includes an encoding device that encodes music data into MPEG codes when downloading the music data to the ROM.

To attain the object, the present invention also provides a download control method for a portable player, comprising the steps of reading in, as known type data, type data of music data stored in a storage medium provided in a portable player when the portable player is placed on a table, reading in, as desired type data, type data input by a user, reading in, as new type data, type data of music data transmitted from a center station and received, determining whether or not the desired type data is equal to the new type data and the new type data is different from the known type data, storing the music data transmitted from the center station in a data memory device when the desired type data is equal to the new type data and the new type data is different from the known type data, downloading the music data stored in the data memory device to the storage medium provided in the portable player, and rewriting the new type data as known type data.

To attain the object, the present invention also provides a mechanically readable storage medium storing commands that allow a machine to execute the download control method according to the present invention.

The above and other objects of the invention will become more apparent from the following description taken in conjunction with the accompanying drawings.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic diagram showing the entire

construction of a download system for portable players according to an embodiment of the present invention;

FIG. 2 is a block diagram showing the construction of one of download devices appearing in FIG. 1;

FIG. 3 is a flow chart showing the operation of the download device; and

FIG. 4 is a block diagram showing the construction of an apparatus for downloading according to the prior art.

#### DETAILED DESCRIPTION OF PREFERRED EMBODIMENT

The present invention will be described below with reference to the drawings showing a preferred embodiment thereof. In the embodiment described below, an MP3 player having a flash EEPROM inside and a table which are used for the embodiment have substantially the same constructions as those in the above prior art. The MP3 player and table as well as their components carry the same reference numerals and description thereof is omitted.

FIG. 1 shows the entire construction of a download system for portable players according to an embodiment of the present invention. The present embodiment is a download system for portable players, which is suitable for providing a music data download service for subscribed users. This download system is comprised of a center station 100, and download devices 200-1, 200-2, 200-3, ..., 200-n (hereafter collectively referred to as "the download device 200").

The center station 100 and the download device 200 are connected to a public line 300 for transmission and reception of music data having type data, hereafter referred to.

The center station 100 provides music data for the



download device 200 and is comprised of a host computer 101 for carrying out transmission of music data to the download device 200 and other processing, and a transmission means 102 for transmitting music data in terms of electric waves.

The public line 300 may be, for example, a telephone line, which is used to transmit music data from the center station 100 to the download device 200.

FIG. 2 shows the construction of the download device 200. The download device 200 is generally comprised of a personal computer 201, described later, and a tuner 211.

The personal computer 201 is comprised of a CPU 202 for controlling the entire personal computer, a ROM 204 that stores a control program and a download program (see FIG. 3) used by the CPU 202 to control components which are connected to the CPU 202 via a bus 203, and a writable RAM 205 for storing various data (for example, type data A, B, C, referred to later) and results of various arithmetic operations. The personal computer 201 further includes a hard disc drive 206 (hereafter referred to as "the HDD206") acting as a data storage means for storing music data, an MPEG encoder 207 that operates when music data stored in the HDD 206 are downloaded to the flash EEP-ROM 2 of the portable player 1, to encode the music data into MPEG codes, an interface 208 (hereafter referred to as "the I/F 208") for connecting the table 3 to the personal computer 201, a panel interface 209 (hereafter referred to as a "panel I/F 209") composed, for example, of a keyboard for inputting a command signal or desired type data to the CPU 202, a data interface 210 (hereafter referred to as "the data I/F 210") to which the tuner 211 is connected, a floppy disc drive (FDD) 211 for driving a floppy disc (FD) 230 as a storage medium, a CR-ROM drive (CD-ROMD)

212 for driving a compact disc read-only memory 231 that stores various application programs including the control program and various data, a MIDI interface (I/F) 213 for inputting a MIDI (Musical Instrument Digital Interface) signal from an external device and outputting the MIDI signal to an external device, and a communication interface (I/F) 214 for transmitting and receiving data to and from a server computer 216, for example, via a communication network 215. The components 202 to 214 are interconnected together via the bus 203, other MIDI equipment 217 are connected to the MIDI I/F 213, and the communication network 215 is connected to the communication I/F 214 has.

The I/F 208 is composed of a parallel interface and connects the bus 203 and the table 3 together. The flash EEPROM 2 of the MP3 player 1 stores music data having type data. When the MP3 player 1 is placed on the table 3, the I/F 208 reads type data (for example, genre data a1, singer data a2, number data a3, etc.) of music data currently stored in the flash EEPROM 2 of the MP3 player 1, and stores the same into the RAM 205 of the personal computer 201 as known type data A.

The panel I/F 209 operates when a user executes key inputs to input desired type data B (for example, genre data b1, singer data b2, number data b3, etc.), to read the desired type data B into the RAM 205 of the personal computer 201.

Further, the data I/F 210 is composed of a serial interface having a real-time transmission function as in an optical digital interface or IEEE 1394, and connects the bus 203 and the tuner 211 together. The data I/F 210 reads type data (for example, genre data c1, singer data c2, number data c3, etc.) of music data received by the tuner 211 and stores the same into the RAM 205 of the personal computer 201 as new type data C.

The tuner 211, acting as a reception means, is composed of a radio tuner or a satellite broadcasting tuner, and includes an antenna 212 if it is composed of a satellite broadcasting tuner. The tuner 211 receives music data having type data transmitted from the center station 100 and transmits them to the personal computer 201, while the type data, which are used as tag information for the music data, are read into the RAM 205 of the personal computer 201 as the new type data C.

A hard disc in the HDD 206 can store a control program executed by the CPU 5, and if the control program is not stored in the ROM 204, it can be stored in the hard disc and read into the RAM 205 so that the CPU 202 can perform the same operations as when the control program is stored in the ROM 204. This facilitates addition of a new control program, updating of the version of the control program, or the like.

The control program and various data read out from the CD-ROM 231 of the CD-ROM drive 212 are stored in the hard disc in the HDD 206. This facilitates installation of the control program, updating of its version, or the like. In addition to the CD-ROM drive 212, a magneto-optic (MO) disk device or the like may be provided for allowing the use of media in various forms.

As described above, the communication I/F 214 is connected to the communication network 215 such as a LAN (Local Area Network), Internet, or a telephone line, and to the server computer 216 via the communication network 215. If the above programs or various parameters are not stored in the hard disc in the HDD 206, the communication I/F 214 is used to download the programs or parameters from the server computer 216. The computer acting as a client (in the present embodiment, the personal computer 201) sends a command to the server computer 216 via the communication I/F 214 and the

communication network 215 to request downloading of programs or parameters. In response to this command, the server computer 216 distributes the requested programs or parameters to the computer 201 via the communication network 215. The computer 201 then receives the programs or parameters via the communication I/F 214 and stores them in the hard disc in the HDD 206 to complete the downloading.

An additional interface may be provided for directly transmitting data to and from external computers or the like.

Next, the operation of the present embodiment constructed as described above will be described.

First, the operation of the download system for a portable player according to the present embodiment will be explained in brief.

This download system for a portable player downloads music data transmitted from the center station 100 to the flash EEPROM 2 of the MP3 player 1 when the user sets the MP3 player 1, which is currently inoperative, on the table 3. The user can store desired music data in the MP3 player 3 simply by inputting the desired type data B to the personal computer 201.

Next, the operation of the download device 200 will be described based on a download process shown in FIG. 3.

First, at a step SP1, it is determined whether or not the MP3 player has been set on the table 3, and the process stands by until the MP3 player 1 is set. If the MP3 player 1 has been set, the process proceeds to a step SP2.

At the step SP2, type data (genre data a1, singer data a2, number data a3) of music data stored in the flash EEPROM 2 of the MP3 player is read into the RAM 205 as the known type data A.

At a step SP3, type data (genre data b1, singer data b2, number data b3) of desired music input by the user using the panel I/F 209 is read into the RAM 205 as the desired type data B.

5 Further, at a step SP4, type data (genre data c1, singer data c2, number data c3) of music data received via the tuner 211 is read into the RAM 205 as the new type data C.

10 At a step SP5, it is determined whether or not the new type data C is the same as the desired type data B & the new type data C is different from the known type data A. If the result of the determination is negative, it is determined that the music data required by the user is different from the music data transmitted from  
15 the center station 100 or that the new music data has already been stored in the HDD 206 of the personal computer 201. Then, the process proceeds to a step SP9 to complete this process.

On the other hand, if the result of the  
20 determination at the step SP5 is affirmative, the process proceeds to a step SP6 to store in the HDD 206 the music data transmitted from the center station 100. The music data thus stored in the HDD 205 is encoded by the MPEG encoder 207 and then stored in the flash EEPROM 2 (a step SP7). Further, the new type data C stored  
25 in the RAM 205 is stored in the flash EEPROM 2 as the known type data A (a step SP8). This process is completed at the step SP9.

As described above, according to this download  
30 system for a portable player, the user can store the new music data in the MP3 player 1 without any cumbersome operating procedure, as required in the prior art system, simply by inputting the desired type data B to the personal computer 201 of the download device 200.

35 For example, the user has only to input type data

to be downloaded, to the personal computer 201 at night, and then the music data corresponding to the input type data are automatically stored in the MP3 player 1 so that in the next morning the user can listen to the music through the MP3 player 1 at a location other than the user's house.

In the above described embodiment, the MP3 player 1 using the flash EEP-ROM as the storage medium is employed as an example of the portable player, but the present invention is not limited to this. The portable player may be an MD player using a mini disk (MD) as the storage medium, a player using a magnetic tape as the storage medium, or the like, and in this case, the MPEG encoder 207 may be omitted.

Further, the desired type data C input by the user may include only the genre data c1 and the singer data. That is, it suffices that the type data only enables the determination of whether the music is new and is not currently stored in the HDD 206.

Further, encoding may be carried out by the personal computer 201 without the use of the MPEG encoder 207.

The object of the present invention can also be achieved by providing a system or apparatus with a storage medium containing a software program code for realizing the functions of the above described embodiment and reading the program code from the storage medium by a computer (or the CPU 2 and an MPU) of the system or apparatus for execution.

In this case, the program code itself read from the storage medium realizes the novel functions of the present invention, and the storage medium containing the program code constitutes the present invention.

Examples of the storage medium containing the program code may be the floppy disk 230, the hard disk

206, an optical disk, a magneto optical disk, the CD-ROM 212, a CD-R, a non-volatile memory card, and the ROM 204. Alternatively, the program code may be supplied from the server computer 216 through the other MIDI equipment 217 and the communication network 215.

Of course, the functions of the above described embodiment can be realized not only by executing the program code read by means of the computer but also by executing a part or the whole of the actual processing by means of an operating system or the like working on the computer in accordance with commands of the program code.

Moreover, it goes without saying that the functions of the above described embodiment can be realized by executing a part or the whole of the actual processing by means of the CPU 5 provided in a function expansion board inserted in the computer or a function expansion unit connected to the computer in accordance with commands of the program code after the program code read from the storage medium is stored in a memory provided in the function expansion board or the function expansion unit.

What is claimed is:

1. A download system for a portable player, comprising:

a portable player including a storage medium that stores music data having type data;

5 a download device that downloads previously stored music data to the storage medium of said portable player; and

a center station that transmits music data having type data to said download device.

2. A download system according to claim 1, wherein said download device comprises:

a table on which said portable player is placed when music data is downloaded to said portable player;

5 a reception device that receives the music data having the type data transmitted from said center station;

an input device that inputs type data of desired music required by a user;

10 a data memory device that stores the music data transmitted from said center station; and

a control device that operates based on the type data of the music data received by said reception device, the type data of the music data previously stored in the storage medium of the portable player, and the type data input by said input device, to control selection of the music data from said center station, storage of the selected music data in said data memory device, and downloading of the music data to the storage medium of said portable player.

15

20.

3. A download system according to claim 2, wherein said control device comprises:

a known type data read-in device that reads in, as known type data, the type data of the music data stored



in the storage medium of the portable player when said portable player is placed on said table;

a desired type read-in device that reads in, as desired type data, the type data input by the user using said input device;

a new type data read-in device that reads in, as new type data, the type data of the music data received by said reception device;

a determination device that determines whether or not the desired type data is equal to the new type data and the new type data is different from the known type data;

a data storing device that stores the music data transmitted from said center station in said data memory device when the determination device determines that the desired type data is equal to the new type data and the new type data is different from the known type data;

a downloading device that downloadsthe the music data stored in said data memory device by said data storage device to the storage medium of said portable player; and

a type data rewrite device that rewrites said new type data as known type data.

4. A download system according to claim 1, wherein the storage medium of said portable player comprises a writable ROM, and wherein said download device includes an encoding device that encodes music data into MPEG codes when downloading the music data to said ROM.

5. A download control method for a portable player, comprising the steps of:

reading in, as known type data, type data of music data stored in a storage medium provided in a portable player when the portable player is placed on a table;

reading in, as desired type data, type data input by a user;

reading in, as new type data, type data of music data transmitted from a center station and received;

determining whether or not the desired type data is equal to the new type data and the new type data is different from the known type data;

storing the music data transmitted from said center station in a data memory device when the desired type data is equal to the new type data and the new type data is different from the known type data;

downloading the music data stored in the data memory device to the storage medium provided in said portable player; and

rewriting said new type data as known type data.

6. A mechanically readable storage medium storing commands that allow a machine to execute a download control method comprising the steps of:

reading in, as known type data, type data of music data stored in a storage medium provided in a portable player when the portable player is placed on a table;

reading in, as desired type data, type data input by a user;

reading in, as new type data, type data of music data transmitted from a center station and received;

determining whether or not the desired type data is equal to the new type data and the new type data is different from the known type data;

storing the music data transmitted from said center station in a data memory device when the desired type data is equal to the new type data and the new type data is different from the known type data;

downloading the music data stored in the data memory device to the storage medium provided in said portable player; and

rewriting said new type data as known type data.

# ABSTRACT OF THE DISCLOSURE

There are provided a download system and a download control method for portable players, which enable a user to download music data to the portable player by a simple operation, and a storage medium that stores a program for executing the download control method. The portable player includes a storage medium that stores music data having type data. A download device downloads previously stored music data to the storage medium of the portable player. A center station transmits music data having type data to the download device. In the download device, the type data of the music data stored in the storage medium is read in as known type data when the portable player is placed on a table. Type data input by a user is read in as desired type data. The type data of the music data transmitted from the center station is read in as new type data. When the desired type data is equal to the new type data and the new type data is different from the known type data, the music data transmitted from the center station is stored in a data memory device, and the stored music data is downloaded to the storage medium. Then, the new type data is written as known type data.




**FIG. 1**

FIG. 2



**FIG.3**

**FIG. 4**  
**PRIOR ART**

